according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 19 February 2018

Revision: 19 February 2018

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

· Trade name: Everlast Defoamer

· Article number: 100801

• **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· Application of the substance / the mixture: Defoamers, Anti-foaming agent

• **1.3 Details of the supplier of the Safety Data Sheet** • **Manufacturer/Supplier:** Everlast Cleaning Equipment and Supplies 6881 NW 16 Terrace Fort Lauderdale, FL 33309 (954)957-9755

 1.4 Emergency telephone number: ChemTel Inc.
 (800)255-3924 (North America)
 +1 (813)248-0585 (International)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

[•] 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the Globally Harmonized System within the United States.

The product is classified and labelled according to the CLP regulation. **Hazard pictograms**



Signal word Warning
Hazard-determining components of labelling:
5-chloro-2-methyl-2H-isothiazol-3-one
Hazard statements
H317 May cause an allergic skin reaction.
Precautionary statements
P261 Avoid breathing mist/vapours/spray.
P280 Wear protective gloves / eye protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

(Cont'd. on page 2)


according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 19 February 2018

Revision: 19 February 2018

Trade name: Everlast Defoamer



SECTION 3: Composition/information on ingredients

3.2 Mixtures

· Components:	
CAS: 26172-55-4 5-chloro-2-methyl-2H-isothiazol-3-one	0,0015-0,0100%
EINECS: 247-500-7 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 Skin Corr. 1B, H314 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Sens. 1, H317	
• Additional information: For the wording of the listed Hazard Statements refer to section	n 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact:

Immediately remove any clothing soiled by the product.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treat skin and mucous membrane with antihistamine and corticoid preparations.

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 19 February 2018

Revision: 19 February 2018

Trade name: Everlast Defoamer

(Cont'd. from page 2)

SECTION 5: Firefighting measures

[•] 5.1 Extinguishing media

• Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.

For safety reasons unsuitable extinguishing agents: None.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Use personal protective equipment as required.

[•] 6.2 Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidising and acidic materials.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from frost.

• 7.3 Specific end use(s) No further relevant information available.

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 19 February 2018

Revision: 19 February 2018

Trade name: Everlast Defoamer

(Cont'd. from page 3)

SECTION 8: Exposure controls/personal protection

[•] 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

[•] 8.2 Exposure controls

· General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. **For the permanent contact gloves made of the following materials are suitable:** Butyl rubber, BR Neoprene gloves

Eye protection:

Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Protective work clothing

• Limitation and supervision of exposure into the environment: No further relevant information available.

· Risk management measures: See Section 7 for additional information.

	sical and chemical properties	
Appearance		
Form:	Liquid	
Colour:	White	
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value at 20 °C (68 °F):	7-9	

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 19 February 2018

Revision: 19 February 2018

Trade name: Everlast Defoamer

Not determined. : 100 °C (212 °F)
Not applicable.
Not applicable.
Not determined.
Not determined.
Product does not present an explosion hazard.
Not determined. Not determined.
23 hPa (17,3 mm Hg)
Not determined. Not determined. Not determined. Not determined.
Fully miscible.
Not determined.
Not determined. Not determined. No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong acids and alkali.

Reacts with strong oxidising agents.

* 10.4 Conditions to avoid No further relevant information available.

• **10.5 Incompatible materials** No further relevant information available.

[•] 10.6 Hazardous decomposition products

Carbon monoxide and carbon dioxide

Chlorine

Hydrogen chloride (HCI)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 19 February 2018

Revision: 19 February 2018

Trade name: Everlast Defoamer

(Cont'd. from page 5)

1

SECTION 11: Toxicological information

11.1 Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification: None.

· Primary irritant effect

• Skin corrosion/irritation: Based on available data, the classification criteria are not met.

• Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

May cause an allergic skin reaction.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer):

64-17-5 ethanol

• NTP (National Toxicology Program):

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Repeated dose toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

• Carcinogenicity: Based on available data, the classification criteria are not met.

• **Reproductive toxicity:** Based on available data, the classification criteria are not met.

• STOT-single exposure: Based on available data, the classification criteria are not met.

• STOT-repeated exposure: Based on available data, the classification criteria are not met.

• Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

[·] 12.1 Toxicity

• Aquatic toxicity: The product contains materials that are harmful to the environment.

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.

• **12.4 Mobility in soil** No further relevant information available.

- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

• **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

(Cont'd. on page 7)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 19 February 2018

Revision: 19 February 2018

Trade name: Everlast Defoamer

(Cont'd. from page 6)

[•] 13.1 Waste treatment methods

· Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of larger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
14.1 UN-Number DOT, ADR, IMDG, IATA	Not Regulated	
14.2 UN proper shipping name DOT, ADR, IMDG, IATA	Not Regulated	
14.3 Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not Regulated	
14.4 Packing group DOT, ADR, IMDG, IATA	Not Regulated	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
¹ 14.7 Transport in bulk according to An of Marpol and the IBC Code	nex II Not applicable.	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)

SARA

• Section 355 (extremely hazardous substances):

None of the ingredients are listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

(Cont'd. on page 8)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 19 February 2018

Revision: 19 February 2018

Trade name: Everlast Defoamer

(Cont'd. from page 7)

1

All ingredients are listed. • Proposition 65 (California):

· Chemicals known to cause cancer:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product. 64-17-5 ethanol

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product. 64-17-5 ethanol

· EPA (Environmental Protection Agency)

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer)

64-17-5 ethanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed.

- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H331 Toxic if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Cont'd. on page 9)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 19 February 2018

Revision: 19 February 2018

Trade name: Everlast Defoamer

(Cont'd. from page 8) EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Sens. 1: Skin sensitisation - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com